

Section I – Product and Company Identification**Trade Name:** Mountain Grout**Product Name:** PolyRock B

Distributed by:
 Green Mountain International, LLC.
 235 Pigeon Street
 Waynesville, NC 28786
 800-942-5151 US/Canada
 828-456-9970 International

24 Hr. Emergency Telephone Number
 Chemtrec: 800-424-9300

Section II – Composition/Information on Ingredients

Ingredient Name	CAS Number	Percent
Polyester Resin Blend	Confidential	100%

Section III – Hazards Identification**Emergency Overview:** Clear liquid, amber color. Amine odor.

May cause irritation to the eyes, skin, and respiratory system.

Health Effects: Eyes: This product may cause irritation to the eyes.**Health Effects: Skin:** This product may cause irritation to the skin.**Health Effects: Inhalation:** Inhalation of vapors or mists of this product may be irritating to the respiratory system.**Health Effects: Ingestion:** This product may be harmful if it is swallowed.**Section IV – First Aid Measures****Eyes:** Immediately flush eyes with water for at least 15 minutes while holding eyelids open. If irritation persists, get medical attention.**Skin:** For skin contact, flush with large amounts of water. If irritation persists, get medical attention. Immediately take off all contaminated clothing. Wash contaminated clothing before reuse.**Inhalation:** If symptoms are experienced, remove source of contamination or move victim to fresh air. If symptoms persist, get medical attention. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.**Ingestion:** If the material is swallowed, get immediate medical attention or advice. Do not induce vomiting.**Section V – Fire Fighting Measures****Flash Point:** >201 °F (93.9 °C)**Fire and Explosion Hazards:** Toxic fumes may be released in case of fire.**Extinguishing Media:** Dry chemical, foam, carbon dioxide, water fog.**Fire Fighting Equipment/Instructions:** Fire fighters should wear full fire-fighting turn-out gear (full Bunker gear) including NIOSH-approved, self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Section VI– Accidental Release Measures

Spill and Leak Procedures

Emergency Action: Isolate spill or leak area immediately. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

Do not touch or walk through spilled material. Wear appropriate personal protective equipment during cleanup. **Small Spills:** Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. **Large Spills:** Dike ahead of liquid spill for later disposal. Prevent entry into waterways, sewers, basements or confined areas.

Surfaces may become slippery after spillage.

Section VII – Handling and Storage

Handling Procedures: Avoid contact with skin and eyes. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Storage Procedures: Store in a cool, dry, well-ventilated area. Room temperature – normal conditions.

Section VIII – Exposure Controls/ Personal Protection

Engineering Controls: Use general ventilation.

Personal Protective Equipment: Eyes: Wear chemical goggles; full-face shield (if splashing is possible).

Personal Protective Equipment: Skin: Wear suitable protective clothing. Use impervious gloves.

Personal Protective Equipment: Respiratory: If vapors are present or irritation is experienced, NIOSH approved respiratory protection for organic vapors should be worn.

Personal Protective Equipment: General: Eye wash fountain and emergency showers are recommended.

Section IX – Physical and Chemical Properties

Flash Point:	>201°F (>93.9°C) PMCC
Boiling Point:	>212°F (>100°C)
Specific Gravity:	9.651 lb/gal (1.16 g/ml)
Percent Volatile:	Nil
Vapor Pressure:	Not Determined or Unknown
Vapor Density:	Estimated heavier than air
Evaporation Rate:	Estimated slower than ethyl ether
Appearance and Odor:	Clear liquid. Amine Odor

Section X – Stability and Reactivity

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Avoid strong oxidizing agents.

Incompatibility: This product may react with strong oxidizing agents.

Hazardous Decomposition: None known.

Hazardous Polymerization: Will not occur.

Section XI – Toxicological Information

Carcinogenicity: Not listed as carcinogenic according to IARC, NTP or OSHA.

Section XII – Ecological Information

Ecotoxicity: No data available.

Section XIII – Disposal Considerations

Disposal Instructions: Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial and Local regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator.

Section XIV – Transport Information

DOT Proper Shipping Name: Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

Section XV – Regulatory Information

Ingredient Name	CAS Number	Percent
Polyester Resin Blend	Confidential	100%

Inventories:

All components of this product are listed on the following inventories:

U.S.A.: TSCA - There is no calculable reportable quantity (RQ) for this product.

Section XVI – Other Information

Prepared by: B.W.

HMIS Ratings: Health = 1, Flammability = 1, Reactivity = 0

Disclaimer: The information in this MSDS was obtained from sources that we believe are reliable. The information is provided without warranty, implied or expressed, concerning accuracy. Green Mountain International, Inc. assumes no legal responsibility for use or reliance on this information. This MSDS is provided solely for the purpose of conveying health, safety, and environmental information. This MSDS is not a specification data sheet. Some of the information and conclusions are derived from sources other than test data on the material itself.

Distributed by:
Green Mountain International LLC.
235 Pigeon Street, Waynesville, NC 28786
Ph: 800-942-5151 Fx: 888-632-5360
Int'l: 828-456-9970 Fx: 828-456-9699
www.mountaingrout.com